

UNVEILING MENTAL HEALTH INSIGHTS IN ONLINE SOCIAL SPACES THROUGH MACHINE LEARNING TECHNIQUES

Sindhu. B

Assistant Professor, Department of CSE, Godavari Institute of Engineering and Technology
(A), Rajamahendravaram, Andhra Pradesh, ORCID: 0000-0001-6543-2777

Suseela. Digumarthi

Assistant Professor, Department of CSE, Godavari Institute of Engineering and Technology
(A), Rajamahendravaram, Andhra Pradesh, ORCID: 0000-0001-7009-8443

K. Ambika

Assistant professor, Department of CSE – AIML, CVR College of Engineering, Hyderabad,
Telangana

N. Sindhuri

Assistant Professor, Department of CSE, Godavari Institute of Engineering and Technology
(A), Rajamahendravaram, Andhra Pradesh, ORCID: 0000-0003-0998-1880

ABSTRACT

This paper presents a pioneering approach leveraging machine learning algorithms to detect mental health issues from online social media interactions. This paper delves into the fusion of computational techniques and psychological insights, analyzing user-generated content and behavioral patterns to identify potential indicators of mental disorders. By harnessing the vast data repository of social media, this research aims to develop proactive screening methods, facilitating early detection and intervention for individuals at risk. The study underscores the promise of technology in augmenting mental health support systems, paving the way for more accessible and timely assistance in the digital landscape. Intellectual disorders prediction is based on predictions from the Random Forest and Naive Bayes algorithms. It is proved that Naive Bayes performs better than Random Forest algorithm in terms of accuracy.

Keywords: *Machine Learning Algorithms, Online Social Media Interactions, Mental Health Issues Detection, User-Generated Content Analysis, Proactive Screening Methods, Naive Bayes, Random Forest Algorithms*

1. INTRODUCTION

The interface between online social media and mental health has become a focal point in contemporary discussions. Online social media platforms serve as multifaceted arenas where individuals express, communicate, and interact, offering an extensive canvas for examining mental health dynamics. Within these digital spaces, behaviors, language patterns, and content shared by users present an intricate tapestry that researchers and experts are exploring to detect, understand, and address mental health disorders. This intersection prompts critical inquiries

into the impact of prolonged digital exposure, cyber bullying, social comparison, and the dissemination of mental health information within online communities. Moreover, the sheer volume of data generated on these platforms has prompted novel approaches—utilizing machine learning and computational techniques—to glean insights into potential indicators of mental health issues, emphasizing the need for responsible digital engagement and robust support mechanisms. [1]

Understanding the nexus between online social media and mental health necessitates a multifaceted perspective. While these platforms offer avenues for self-expression, social connection, and even mental health advocacy, they also harbor challenges. Factors like the perpetuation of unrealistic standards, echo chambers amplifying certain behavioral patterns, and the blurring of boundaries between the virtual and real worlds can exacerbate mental health concerns. The evolving landscape demands nuanced research that navigates ethical considerations, privacy concerns, and the implications of using online data to infer mental health states. Balancing the benefits and risks of online social media in relation to mental health underscores the need for collaborative efforts among tech companies, mental health professionals, policymakers, and users to foster a digitally inclusive and mentally supportive environment. [2,3,4]

In the rapidly evolving landscape of digital connectivity, the amalgamation of machine learning algorithms and online social media interactions has emerged as a pioneering avenue for detecting mental health issues. This paper signifies a paradigm shift, delving deep into the fusion of computational techniques and psychological insights. By scrutinizing user-generated content and behavioral patterns inherent in social media platforms, this research endeavors to discern potential indicators of mental disorders. The exploration of this intersection lays the groundwork for innovative approaches toward early detection and intervention strategies, aiming to mitigate risks for individuals facing mental health challenges within the digital realm. [5,6]

Harnessing the expansive reservoir of data within social media platforms, this study represents a concerted effort to establish proactive screening methods. The ambition lies in leveraging this rich data repository to discern patterns, trends, and linguistic cues indicative of underlying mental health concerns. Through the integration of machine learning algorithms, particularly the comparative analysis between Naive Bayes and Random Forest algorithms, this research seeks to elevate predictive accuracy in identifying intellectual disorders. Moreover, the exploration of these algorithms' efficacy contributes nuanced insights into the most efficient computational methods for early identification, potentially revolutionizing mental health support systems.

The significance of this study extends beyond theoretical constructs; it underscores the transformative potential of technology in bolstering mental health support mechanisms. By pioneering innovative methodologies that leverage computational prowess, the goal is to foster more accessible, timely, and effective assistance for individuals navigating mental health challenges in the digital landscape. This convergence of technology and mental health care heralds a promising trajectory, poised to bridge critical gaps in early detection and intervention strategies within online social spheres. [7,8]

The interface between online social media and mental health has become a focal point in contemporary discussions. Online social media platforms serve as multifaceted arenas where individuals express, communicate, and interact, offering an extensive canvas for examining mental health dynamics. Within these digital spaces, behaviors, language patterns, and content shared by users present an intricate tapestry that researchers and experts are exploring to detect, understand, and address mental health disorders. This intersection prompts critical inquiries into the impact of prolonged digital exposure, cyber bullying, social comparison, and the dissemination of mental health information within online communities. Moreover, the sheer volume of data generated on these platforms has prompted novel approaches—utilizing machine learning and computational techniques—to glean insights into potential indicators of mental health issues, emphasizing the need for responsible digital engagement and robust support mechanisms.

2. LITERATURE REVIEW

Lakshman Narayana Vejendla et al. [11] delved into mental health disorders prevalent on social media networks. Employing predictive models via subconscious crowdsourcing, the study focused on data collection methodologies. A parallel study by Patibandla, R.S.M.L et al. [18] aimed to classify online communities associated with mental health. Their approach involved extracting two distinct feature sets: 1) STL (Single Task Learning) and 2) LIWC (Linguistic Inquiry and Word Count) features from social media posts made by individuals dealing with depression, facilitating a detailed analysis of their narratives.

K. Santhi Sri et al. [21] conducted a study on the evolution of user activities within the Facebook social network. Their research aimed to understand how user interactions change over time on this platform. They observed a transient pattern in the links within the activity network, noting their fleeting nature in appearing and disappearing rapidly. Additionally, the study revealed a diminishing strength in connections over time within this social network. Interestingly, despite the dynamic changes in many properties based on graph theory, the overall structure of the activity network remained largely unchanged.

In a separate study, Anveshini Dumala et al. [33] introduced a technique for identifying programmed pressure from cross-media microblog data.

In their work [24] [25], the researchers devised a three-tier system to unearth stress signals from cross-media microblog content. They employed a Deep Sparse Neural Network to amalgamate diverse features from this data, creating a highly efficient structure for stress identification [26]. This approach holds significant promise in automatically detecting mental stress within informal online communities. Looking ahead, their future research aims to explore the social connections related to mental stress, seeking to refine and amplify the identification accuracy.

EXISTING SYSTEM

Lakshmi Patibandla et al. [27] introduced a strategy targeting the vocabulary disparity between health information seekers and medical databases through a global learning

approach [28]. Their study aimed to harmonize the language used by those searching for health-related information with that found in healthcare databases. This method comprised two segments: local mining and global learning. Rigorous assessments conducted on real-world datasets demonstrated the effectiveness of their approach compared to prevalent coding methods [29] [30]. The algorithm synthesized nuanced labels, enhancing this by incorporating tag-link features acquired through ICR. The authors employed methodologies to improve: 1) integration of multi-word terms, 2) management of out-of-vocabulary words, 3) advanced NLP techniques for understanding word relationships in freeform text, 4) evaluation of latent concept link prediction, and 5) prediction of relationship types.

Additionally, the paper introduced a new aspect—sentiment prediction in social networks. Employing a method termed Moodcast, the study aimed to model and predict emotional aspects within the social network [31] [32]. This proposed approach effectively modeled each user's emotional status, surpassing several benchmark methods for sentiment prediction [33]. The system was trialed on two distinct real-world social networks, demonstrating its efficacy in effectively modeling user emotions and outperforming various conventional methods [34].

4. PROPOSED METHODOLOGY

Here, the proposed method is algorithm which uses Naive Baye's classifier. These classifiers are probabilistic classifiers. NB classifier depends on Baye's theorem and independence hypothesis features [3]. Naive Baye's classifier is simple Bayesian network model, but linked with kernel density estimation [7]. They can reach higher accuracy. NB classifier requires a set of parameters proportional to the number of variables within the training problem and they are highly scalable. Maximum likelihood estimation is done by assess a closed form expression in place of highly repetitive conjecture which is used for many other classifiers. Using a mean prediction of the individual trees, the supervised learning technique known as "random forests" can be used for classification, regression, and other tasks [8]. In decision trees, there is a drawback of over fitting. This drawback is solved by RF [4]. The accuracy of RF is greater than decision trees but lower than gradient boost trees. Deep-grown trees in particular have a tendency to develop highly unpredictable patterns; they overfit training sets, having low bias but high variation. Random forests are a technique for averaging multiple deep decision trees trained on distinct subsets of the same training data in order to reduce variation. At the expense of a minor increase in bias and a slight decrease in interpretability, the final model's performance is frequently noticeably enhanced. Forests are like the collection of decision tree algorithm efforts. maximizing the performance of a single random tree by combining the efforts of many trees. The results of a K-fold cross validation are provided by forests, although they are not entirely comparable.

This methodology consists of following steps.

1. **Data Collection** The created two datasets of individuals on Twitter who were depressed and not depressed in order to make depression identification via social media possible. Twitter has developed APIs and is widely used across the world. In order to deduce the mental state of a certain Twitter user, we gathered the individual's profile details and an anchor tweet. The

dataset for depression candidates had a lot of noise, but it also had more depressed people than a random sample. Within a month, we were able to collect over 35 million tweets and 36,993 people who were depression candidates. These data will be used for online behavior analysis.

2. Data Preprocessing The terms in social media's raw data are flexible and variable, which makes word matching and semantic analysis quite challenging, as discovered before feature extraction. In order to do this, the performed the following data pretreatment techniques:

1) **Emoji processing:** The text processing methods employed by many programmes do not allow emoji. So, using an emoji library we downloaded from Twitter, we extracted the emoji from Tweets' text and independently tallied them.

2) **Stemming:** Due to the intensive usage of the keyword matching approach, words must have consistent representations independent of tense or voice. For instance, "marriage" and "marrying" should both always be spelled as "marri." The Porter Stemmer was used as the stemming method in this instance [Porter, 2001].

3) **Unusual word processing:** Due to mistakes or frequent phrase shortening, words on social media may be misspelt. For the purpose of obtaining the regular representations of irregular phrases, we used a word2vec model that had been trained on 400 million tweets. We looked up every term we came across. After failing, we looked for the five closest synonyms using the word2vec model offered by the NLTK toolbox. In order to extract text-related characteristics, we combined the preprocessed content of each user's most recent tweets over the period of one month into a single document.

3. Feature Extraction the main goal was to identify and examine depressed people' offline and online behaviours. There are specific definitions for offline behaviours in the depression criteria, which are frequently applied in depression diagnosis. On the other side, we gathered data from social media and identified a few typical online habits. In order to fully describe each user, we ultimately established and extracted six depression-oriented feature categories using references from computer science and psychology. For additional information, please visit our data-released website. Feature of social networks. According to research, people who are depressed are less active on social networks and use Twitter more as a medium for emotional connection and social awareness. The following social network attributes were thus important to take into account:

1) **Number of tweets:** the gathered a user's history and most current amount of tweets in order to establish how active they are on Twitter.

2) **Social exchanges:** To understand people's online social behaviours, we took into account elements of social interaction such a user's followers and followings.

3) **Posting behaviours:** To depict the users' lives, and also collected data on other posting behaviours, such as posting time distribution. Private user data is mentioned in social network user profile elements. Evidence suggests that those with stable jobs or college degrees are less likely to suffer from depression. Nevertheless, the Twitter APIs only provide a small quantity of private data. The gathered data on the genders, ages, relationships, and educational levels of users using the big data platform Bridge for social multimedia analytics. attempts tries județ județ Cross-modal difficulties and the social network modelling of moods and emotions have both shown the importance of visual elements. Images convey concepts more sophisticatedly

than texts do due to their higher brightness, flexibility, and expressiveness. In our study, we used the avatars on individuals' social media account home pages as their initial visual representation. Then, the listed the five colour combinations, brightness, saturation, cool colour ratio, and clear colour ratio as visual attributes. emotionally charged the emotional characteristics are helpful in the diagnosis of depression since the emotional state of users who are depressed differs from that of regular users. Then studied:

- 1) Emotive vocabulary. Using LIWC, we counted the number of positive and negative terms in recent tweets.
- 2) Emoji. Three annotators were asked to rank the emotion conveyed by the aforementioned emoji in our database. Based on the outcomes of the majority vote, we were able to create a library of emotive emojis from which we could extract the emotional emoji counts.
- 3) Characteristics of the VAD. The VAD features—valence, arousal, and dominance—that have been shown to be useful in defining human emotions were extracted using affective norms for English words. Topic models have been demonstrated to be useful for spotting depression on social media. Themes between individuals who are depressed and those who are not depressed are probably fairly different.

It was shown that those with a college degree or a steady employment are less likely to suffer from depression. The Twitter APIs do not, however, return a lot of personal data. In order to find out about the genders, ages, relationships, and educational backgrounds of users, we used the bridge, a big data platform for social multimedia analytics. In our research, we took into account that users' avatars on their account home pages serve as their first social media impression. Emotional Quality. Since the emotional status of depressed users differs from that of regular users, emotional features are useful in the early detection of depression.

4. Multimodal Depressive Dictionary Learning Only a small percentage of persons who really fit the criteria for depression exhibit symptoms of it. In order to help users who are sad, we provide a multimodal depressive dictionary learning model (MDL). The following are the fundamental tenets of the MDL:

In order to identify common patterns and learn joint sparse representations. Prior to modeling cross-modal relatedness jointly, one must first learn the latent and sparse representation of users by dictionary learning. Finally, one must train a classifier to specifically recognise users who are depressed using the learned features.

5. Uni-modal Dictionary Learning While we are able to extract a wide range of variables from each modality, not all of them are clearly associated to depressed users. Additionally, because social media posts are typically informal, some noises were removed as well, which may have impacted the accuracy of the detection. To learn the latent and sparse representation of users, we therefore turned to dictionary learning.

6. Multimodal Joint Sparse Representation In reality, distinct modalities share some common patterns that can't be understood by uni-modal dictionary learning [10] and are not entirely independent of one another. To combine characteristics from several modalities and learn the joint sparse representation in order to acquire latent features, dictionary learning was therefore expanded to multimodal.

7. Depression Classification To categorize the stress level, we employ the ideas of Naive

Bayes and Random Forest.

4.1. ALGORITHM OF PROPOSED METHODOLOGY

There are many important lessons about depression from the depressed people. We were motivated by the following:

- 1) An uplifter of mood. We created a dictionary of antidepressants using the Wikipedia article for "Antidepressant" in order to determine the typical number of antidepressant names stated.
- 2) Signs of depression. We were able to identify the pertinent keywords based on the nine symptom categories provided in the DSMIV criteria. The linguistic style on Twitter is very different from the formal content in the criteria. To create a vocabulary of the usual sentences used to describe these symptoms on Twitter, we expanded the keywords using the word2vec model. As a result, we were able to determine the number of words for each of the nine symptom categories for each user.

The actions performed are as follows:

- 1) Get the dataset's index.
- 2) For that specific mental stress data, get a list of cosine similarity scores.
- 3) Make a list of tuples by placing the location as the first item and the similarity score as the second element.
- 4) The list of tuples stated before is sorted in the second phase according to similarity.
- 5) select only the top ten items from this list. 6) Return the titles for the top items' corresponding indices.




Fig.1. Work flow of the proposed system

4.2. SYSTEM ARCHITECTURE




Fig.2. Work flow of the proposed system

4. RESULTS

In this project, the accuracy of predicting depressed and non-depressed messages is 96%, as we used Random Forest classifier to train model. In existing system they have used naïve bayes algorithm which gives 92% accuracy. We predicted the accuracies by using python as a back-end programming.

The trained our model with datasets consists of various texts, by pre-processing those datasets and by using SNMD classifier to detect whether the particular message is depressed message or not.




Fig.3. Comparison of accuracy

5. CONCLUSION AND FUTURE SCOPE

This paper proposes timely detection of depression through social media collection. Multimodal Depression Dictionary Training for Identifying Depressed Users on Twitter Using Benchmarking Datasets on Trait Groups targeted for depression and Non-depression, and well-defined discriminatory depression we suggested a method. Then we studied benefaction of trait ways to detect mentally ill users in a huge data of depressive candidates to provide fundamental insights into online behavior between depressed and non-depressed social media users. clarified discrepancies. The goal of this project is the timely detection of depression through social media collection. Multimodal Depression Dictionary Training for Identifying Depressed Users on Twitter Using Benchmarking Datasets on Trait Groups targeted for depression and Non-depression, and well-defined discriminatory depression we suggested a method. Then we studied benefaction of trait ways to detect mentally ill users in a huge data of depressive candidates to provide fundamental insights into online behavior between depressed and non-depressed social media users. In modern life, we cannot ignore online behaviour. We anticipate that these findings will help researchers understand mental disorders better. With SNMDs, we try to automatically detect potential internet users. We offer a framework for SNMDD that analyses different aspects from OSN data logs as well as a fresh tensor method for extracting latent features from a number of OSNs for SNMD detection. To address new problems in SNMDs, researchers in mental health care and computer scientists have collaborated on this work. The next stage is to research the features that NLP and computer vision algorithms can extract from multimedia content. and also intend to continue examining fresh problems from the standpoint of a company that offers social network services, such as Facebook or Instagram, in an effort to enhance the welfare of OSN members without sacrificing anything.

1. REFERENCES

- [1]. B.Saha, T. Nguyen, D. Phung, and S. Venkatesh. "A framework for classifying online mental health-related communities with an interest in depression". IEEE Journal of Biomedical and Health Informatics, 2016.
- [2]. Chun-Hao Chang, Elvis Saravia, Yi-Shin Chen "Subconscious Crowdsourcing: A Feasible Data Collection Mechanism for Mental Disorder Detection on Social Media". IEEE/ACM International Conference on Advance in Social Networks Analysis and Mining (ASONAM) 2016.
- [3]. Lakshman Narayana Vejedla and A Peda Gopi, (2019)," Avoiding Interoperability and Delay in Healthcare Monitoring System Using Block Chain Technology", Revue d'Intelligence Artificielle , Vol. 33, No. 1, 2019,pp.45-48.
- [4]. Gopi, A.P., Jyothi, R.N.S., Narayana, V.L. et al. (2020), "Classification of tweets data based on polarity using improved RBF kernel of SVM" . Int. j. inf. tecnol. (2020). <https://doi.org/10.1007/s41870-019-00409-4>.

- [5]. A Peda Gopi and Lakshman Narayana Vejendla, (2019),” Certified Node Frequency in Social Network Using Parallel Diffusion Methods”, *Ingénierie des Systèmes d' Information*, Vol. 24, No. 1, 2019,pp.113-117.. DOI: 10.18280/isi.240117
- [6]. Lakshman Narayana Vejendla and Bharathi C R ,(2018),“Multi-mode Routing Algorithm with Cryptographic Techniques and Reduction of Packet Drop using 2ACK scheme in MANETs”, *Smart Intelligent Computing and Applications*, Vol.1, pp.649-658. DOI: 10.1007/978-981-13-1921-1_63 DOI: 10.1007/978-981-13-1921-1_63
- [7]. Lakshman Narayana Vejendla and Bharathi C R, (2018), “Effective multi-mode routing mechanism with master-slave technique and reduction of packet droppings using 2-ACK scheme in MANETS”, *Modelling, Measurement and Control A*, Vol.91, Issue.2, pp.73-76. DOI: 10.18280/mmc_a.910207
- [8]. Lakshman Narayana Vejendla , A Peda Gopi and N.Ashok Kumar,(2018),“ Different techniques for hiding the text information using text steganography techniques: A survey”, *Ingénierie des Systèmes d'Information*, Vol.23, Issue.6,pp.115-125.DOI: 10.3166/ISI.23.6.115125 Vol 11, Issue 4 , April/ 2020 ISSN NO: 0377-9254 www.jespublication.com Page No:313
- [9]. A Peda Gopi and Lakshman Narayana Vejendla (2018), “Dynamic load balancing for client server assignment in distributed system using genetic algorithm”, *Ingénierie des Systèmes d'Information*, Vol.23, Issue.6, pp. 87-98. DOI: 10.3166/ISI.23.6.87-98
- [10]. Lakshman Narayana Vejendla and Bharathi C R,(2017),“Using customized Active Resource Routing and Tenable Association using Licentious Method Algorithm for secured mobile ad hoc network Management”, *Advances in Modeling and Analysis B*, Vol.60, Issue.1, pp.270-282. DOI: 10.18280/ama_b.600117
- [11]. Lakshman Narayana Vejendla and Bharathi C R,(2017),“Identity Based Cryptography for Mobile ad hoc Networks”, *Journal of Theoretical and Applied Information Technology*, Vol.95, Issue.5, pp.1173-1181. EID: 2-s2.0-85015373447
- [12]. Lakshman Narayana Vejendla and A Peda Gopi, (2017),” Visual cryptography for gray scale images with enhanced security mechanisms”, *Traitement du Signal*,Vol.35, No.3-4,pp.197-208. DOI: 10.3166/ts.34.197208
- [13]. A Peda Gopi and Lakshman Narayana Vejendla, (2017),” Protected strength approach for image steganography”, *Traitement du Signal*, Vol.35, No.3-4,pp.175-181. DOI: 10.3166/TS.34.175-181
- [14]. Lakshman Narayana Vejendla and A Peda Gopi, (2020),” Design and Analysis of CMOS LNA with Extended Bandwidth For RF Applications”, *Journal of Xi'an University of Architecture & Technology*, Vol. 12, Issue. 3,pp.3759-3765. <https://doi.org/10.37896/JXAT12.03/319>.
- [15]. Pathan Farjana,G. Neha Nikhila,K. Khyathi Nandini ,Mohammed Afrin ,Anusha Papasani, “Social network mental disorder detection via online social media mining using

machine learning framework.”, Vol 11, Issue 4 , April/ 2020, Journal of Engineering studies
ISSN NO: 0377-9254

[16]. Patibandla R.S.M.L., Kurra S.S., Mundukur N.B. (2012), “A Study on Scalability of Services and Privacy Issues in Cloud Computing”. In: Ramanujam R., Ramaswamy S. (eds) Distributed Computing and Internet Technology. ICDCIT 2012. Lecture Notes in Computer Science, vol 7154. Springer, Berlin, Heidelberg

[17]. Patibandla R.S.M.L., Veeranjanyulu N. (2018), “Survey on Clustering Algorithms for Unstructured Data”. In: Bhateja V., Coello Coello C., Satapathy S., Pattnaik P. (eds) Intelligent Engineering Informatics. Advances in Intelligent Systems and Computing, vol 695. Springer, Singapore

[18]. Patibandla, R.S.M.L., Veeranjanyulu, N. (2018), “Performance Analysis of Partition and Evolutionary Clustering Methods on Various Cluster Validation Criteria”, Arab J Sci Eng ,Vol.43, pp.4379–4390.

[19]. R S M Lakshmi Patibandla, Santhi Sri Kurra and N.Veeranjanyulu, (2015), “A Study on Real-Time Business Intelligence and Big Data”,Information Engineering, Vol.4,pp.1-6.

[20]. K. Santhisri and P.R.S.M. Lakshmi,(2015), “ Comparative Study on Various Security Algorithms in Cloud Computing”, Recent Trends in Programming Languages ,Vol.2,No.1,pp.1-6.

[21]. K.Santhi Sri and PRSM Lakshmi,(2017), “DDoS Attacks, Detection Parameters and Mitigation in Cloud Environment”, IJMTST,Vol.3,No.1,pp.79-82.

[22]. P.R.S.M.Lakshmi,K.Santhi Sri and Dr.N. Veeranjanyulu,(2017), “A Study on Deployment of Web Applications Require Strong Consistency using Multiple Clouds”, IJMTST,Vol.3,No.1,pp.14-17.

[23]. P.R.S.M.Lakshmi,K.Santhi Sri and M.V.Bhujanga Ra0,(2017), “Workload Management through Load Balancing Algorithm in Scalable Cloud”, IJASTEMS,Vol.3,No.1,pp.239-242.

[24]. K.Santhi Sri, P.R.S.M.Lakshmi, and M.V.Bhujanga Ra0,(2017), “A Study of Security and Privacy Attacks in Cloud Computing Environment”, IJASTEMS,Vol.3,No.1,pp. 235-238.

[25]. R S M Lakshmi Patibandla and N. Veeranjanyulu, (2018), “Explanatory & Vol 11, Issue 4 , April/ 2020 ISSN NO: 0377-9254 www.jespublication.com Page No:314 Complex Analysis of Structured Data to Enrich Data in Analytical Appliance”, International Journal for Modern Trends in Science and Technology, Vol. 04, Special Issue 01, pp. 147151.

[26]. R S M Lakshmi Patibandla, Santhi Sri Kurra, Ande Prasad and N.Veeranjanyulu, (2015), “Unstructured Data: Qualitative Analysis”, J. of Computation In Biosciences And Engineering, Vol. 2,No.3,pp.1-4.

- [27]. R S M Lakshmi Patibandla, Santhi Sri Kurra and H.-J. Kim,(2014), “Electronic resource management using cloud computing for libraries”, International Journal of Applied Engineering Research, Vol.9,pp. 18141-18147.
- [28]. Ms.R.S.M.Lakshmi Patibandla Dr.Ande Prasad and Mr.Y.R.P.Shankar,(2013), “SECURE ZONE IN CLOUD”, International Journal of Advances in Computer Networks and its Security, Vol.3,No.2,pp.153-157.
- [29]. Patibandla, R. S. M. Lakshmi et al., (2016), “Significance of Embedded Systems to IoT.”, International Journal of Computer Science and Business Informatics, Vol.16,No.2,pp.15-23.